



NOTA DI LAVORO

62.2014

An Integrated Risk Assessment Model for the Implementation of Drought Insurance Markets in Spain

By **Carlos Dionisio Pérez Blanco**,
University of Alcalá de Henares and
Madrid Institute for Advanced Studies
in Water Technologies (IMDEA-Water)
Carlos Mario Gómez Gómez,
University of Alcalá de Henares and
Madrid Institute for Advanced Studies
in Water Technologies (IMDEA-Water)

Climate Change and Sustainable Development

Series Editor: Carlo Carraro

An Integrated Risk Assessment Model for the Implementation of Drought Insurance Markets in Spain

By Carlos Dionisio Pérez Blanco, University of Alcalá de Henares and Madrid Institute for Advanced Studies in Water Technologies (IMDEA-Water)

Carlos Mario Gómez Gómez, University of Alcalá de Henares and Madrid Institute for Advanced Studies in Water Technologies (IMDEA-Water)

Summary

Water is a key input in the production of many goods and services and under certain conditions can become a critical limiting factor with significant impacts on regional development. This is the case of many agricultural European Mediterranean basins, where water deficit during drought events is partially covered by illegal abstractions, mostly from aquifers, which are tolerated by the authorities. Groundwater overexploitation for irrigation has created in these areas an unprecedented environmental catastrophe that threatens ecosystems sustainability, urban water supply and the current model of development. Market-based drought insurance systems have the potential to introduce the necessary incentives to reduce overexploitation during drought events and remove the high costs of the drought indemnity paid by the government. This paper develops a methodology to obtain the optimum risk premium based on concatenated stochastic models. The methodology is applied to the agricultural district of Campo de Cartagena (Segura River Basin, Spain). Results show that the prices in a hypothetical competitive private drought insurance market would be reasonable and the expected environmental outcomes significant.

Keywords: Drought Insurance, Stochastic Models, Groundwater, Agriculture, Drought Contingency Plan

JEL Classification: Q5, Q25

The research leading to these results has received funding from the European Union's Seventh Framework Program (FP7/2007-2013) under grant agreement n° 265213 (EPI-WATER - Evaluating Economic Policy Instruments for Sustainable Water Management in Europe) and the Spanish Association of Agrarian Insuring Firms (Agroseguro S.A.). Support from the Spanish Science and Innovation Ministry (project CSD 2006-00044) is also acknowledged.

Address for correspondence:

Carlos Dionisio Pérez Blanco
University of Alcalá de Henares
Plaza de la Victoria 2
28802 Alcalá de Henares, Madrid
Spain
Phone: +34 918855236
Fax: +34 918854239
E-mail: dionisio.perez@uah.es

The opinions expressed in this paper do not necessarily reflect the position of
Fondazione Eni Enrico Mattei
Corso Magenta, 63, 20123 Milano (I), web site: www.feem.it, e-mail: working.papers@feem.it

*An integrated risk assessment model for the implementation of drought
insurance markets in Spain*

Pérez Blanco, Carlos Dionisio ^{a, b} (corresponding autor)

dionisio.perez@uah.es

Phone number: (+34) 91 885 52 36

Fax: (+34) 918854239

Gómez Gómez, Carlos Mario ^{a, b}

mario.gomez@uah.es

Phone number: (+34) 91 830 59 62, ext. 116

Fax: (+34) 91 830 59 61

^a University of Alcalá de Henares. Plaza de la Victoria, 2. 28802 Alcalá de Henares, Madrid
(Spain)

^b Madrid Institute for Advanced Studies in Water Technologies (IMDEA-Water). C/ Punto Net,
4, 2^o piso, Edificio ZYE. Parque Científico Tecnológico de la Universidad de Alcalá. 28805 Alcalá
de Henares, Madrid (Spain)

Abstract: Water is a key input in the production of many goods and services and under certain
conditions can become a critical limiting factor with significant impacts on regional

development. This is the case of many agricultural European Mediterranean basins, where water deficit during drought events is partially covered by illegal abstractions, mostly from aquifers, which are tolerated by the authorities. Groundwater overexploitation for irrigation has created in these areas an unprecedented environmental catastrophe that threatens ecosystems sustainability, urban water supply and the current model of development. Market-based drought insurance systems have the potential to introduce the necessary incentives to reduce overexploitation during drought events and remove the high costs of the drought indemnity paid by the government. This paper develops a methodology to obtain the optimum risk premium based on concatenated stochastic models. The methodology is applied to the agricultural district of Campo de Cartagena (Segura River Basin, Spain). Results show that the prices in a hypothetical competitive private drought insurance market would be reasonable and the expected environmental outcomes significant.

Keywords: Drought insurance, stochastic models, groundwater, agriculture, Drought Contingency Plan

Acknowledgements: The research leading to these results has received funding from the European Union's Seventh Framework Program (FP7/2007-2013) under grant agreement n° 265213 (EPI-WATER - Evaluating Economic Policy Instruments for Sustainable Water Management in Europe) and the Spanish Association of Agrarian Insuring Firms (Agroseguro S.A.). Support from the Spanish Science and Innovation Ministry (project CSD 2006-00044) is also acknowledged.

1. Introduction

Water is an economic asset that might be managed efficiently and sustainably (Winpenny, 1994). However, in the allocation of water resources, the criteria and methods of economic analysis have historically played a secondary role. Prevailing political consensus considers that water management policies must play an instrumental role aimed at providing a package of services, which are either essential for life or strategic for the economy. Besides that, it is believed that its demand, therefore, must be taken as exogenously defined outside the field of water management policy (Saleth and Dinar, 1999). Following this paradigm, water policy in the European countries has been almost exclusively oriented to guarantee the public provision of water services at subsidized prices. This paradigm has inevitably resulted in the overexploitation of water resources, especially in arid and semi-arid Mediterranean regions. However, instead of using economic instruments to adjust prices of water to their real cost, traditional response has consisted of the implementation of palliative command and control policies with limited or even negative impact.

As a result, water agencies and water users have been insulated from the influence of market forces (Dinar, 2000; Young, 2005). In such a frame, instead of leading to higher prices that reduce demand and encourage greater efficiency in the multiple uses of water, the limited capacity to support water resource abstraction together with the greater public support to put increasing amounts of water services available to users has led to a growing demand for water infrastructures. This has led to water overuse, worse shortages and deeper water crisis (Dinar and Saleth, 2005; Dinar and Subramanian, 1997).

Water scarcity in Southern European Regions poses a significant menace over riparian ecosystems sustainability, development dynamics and even household supply. Although command and control policies are still being applied, it is generally acknowledged that the

current situation cannot be reverted only with regulation (Gómez and Pérez, 2012; Pérez et al., 2011; CE, 2000 and 2007). However, the reversion of current dynamics is complicated. The complexity of social-ecological systems makes them unpredictable, and the effects of policy interventions can be highly uncertain. Surprise and crisis are regular occurrences. This uncertainty, coupled with legacies of past management actions, often leaves decision makers few options other than to reinforce the current trajectory of the system with further command and control policies (Anderies, 2004, 2005 and 2006). Therefore decision making becomes reactive and incremental as the system moves from one crisis to another (Gunderson, 2001), and ultimately the system becomes extremely vulnerable to external shocks.

This dynamics are present in several agricultural Mediterranean catchments. As a result water scarcity has become a central issue in the European agenda (EC, 2000 and 2007). To avoid this perverse cycle, the Water Framework Directive in its article 9 acknowledges the limited impact of traditional command and control policies and advocates instead for the implementation of Economic Policy Instruments (EPIs) for water management (EC, 2000). These instruments can adapt water demand to available resources, but so far there are only a few case studies on EPIs and water management available in Europe.

Population and economic growth of the last two decades in Southern European countries have significantly increased water demand from urban areas. However, the main water consumer continues being agriculture (EEA, 2009), which is largely responsible of the structural water deficit characteristic of many semi-arid Mediterranean basins. Water overexploitation in these areas is especially intense during drought events, *which makes drought insurance one of the EPIs with the highest potential to prevent overexploitation during drought events*. Although private insurance is regarded as more efficient and effective both financially and environmentally than mixed insurance systems (public and private capital) (Gómez and Pérez, the 2012), the latter prevail in Mediterranean areas as a result of the high institutional

uncertainty, which adds up to the water resources uncertainty characteristic of semi-arid climates and has made private drought insurance unviable so far.

This paper develops a stochastic methodology which estimates the likelihood of different drought scenarios and their impact over agricultural income. From these values, a risk premium for private drought insurance markets is obtained. The methodology allows a comparison of the financial and environmental outcomes obtained by the current mixed drought insurance markets and the proposed private drought insurance markets under the institutional framework described below. The methodology is general and can be replicated in any Mediterranean basin or agricultural district.

The paper is structured as follows: the second and third sections present the overall institutional framework for irrigation in Spain and introduce the area of the case study (the agricultural district of Campo de Cartagena to the south east), respectively; the fourth section describes the methodology, which consists of concatenated stochastic models, an institutional decision model and deterministic agronomic production functions; the fifth section estimates the basic risk premium for the ligneous crops of Campo de Cartagena; and the sixth section concludes.

2. Agriculture and water: the new institutional framework in Spain

Irrigated land demands a large amount of water resources and a significant investment in water infrastructures. In this sense, the case of Spain, with the most heavily modified rivers of the world (Gómez, 2009), is paradigmatic. As no alternative has been explored, increasing agricultural water demand has been translated into increasing resources made available to farmers. Water overexploitation is now widespread in many European Mediterranean areas.

EPIs such as drought insurance markets have the potential to improve efficiency in water use and thus save significant amounts of water.

Water restrictions during a drought event in Spain are subject to the discretionary assessment made by institutions. As a result it is not possible to develop a deterministic relationship between any objective drought indicator and indemnity; on the contrary, indemnity has to be established in a discretionary manner after a negotiation among the government, private insurance companies and those farmers affected by the drought. In this negotiation the government guarantees that any unexpected loss in which the insurance companies may incur will be covered with public funds. This mixed capital system removes the incentives to estimate an accurate risk premium and to implement an efficient supervision mechanism. Within this framework, financial costs are significantly higher than those that would result from a market-based system, and the gap is covered with public funds. Besides that, the combined effect of a deficient supervision mechanism and the lack of a link between expected indemnity and objective drought indicators raises incentives for the farmers to overexploit water resources illegally during drought events and even perceive a double income – agricultural production and indemnity. This has had severe environmental effects, especially over aquifers (Pérez et al., 2011).

On the contrary, private insurance markets minimize operating costs, remove public costs from the equation and have more effective and efficient surveillance mechanisms (usually linked to the agricultural yield) with the potential to reduce the environmental impact of droughts. However, uncertainty stemming from the drought management rules above prevents the development of such markets.

The law 907/2007 incorporated the Drought Management Plans (DMPs) to the legal framework which regulates water demand in Spain. Spain has been pioneer in the introduction of these plans in the European Union, where only a few countries have DMPs in force –though

the EC earnestly recommends their use (EC, 2008). DMPs are intended to avoid water overexploitation during drought events¹. To do so, DMPs introduce a set of objective indicators which clearly specify when and what restrictions have to be put in force in case of a drought event for every type of water use. If properly enforced, drought indicators allow the removal of institutional arbitrariness in drought indemnity and the introduction of a new structural framework where uncertainty depends exclusively on the variability inherent to the event dynamics (rainfall, stored water and runoff), which in turn can be delimited through stochastic modeling. Thereby, *the new framework is favorable for the development of private drought insurance schemes.*

3. Background for the case study: Campo de Cartagena, Segura River Basin (Spain)

The semiarid SRB has significant competitive advantages for irrigated agriculture because the land is abundant and cheap and few alternative uses for the land exist. Furthermore, solar radiation is guaranteed and, apart from the abundance of cheap labor, many of these areas are located near high-demand markets. In fact, everything except water seems to be in place for developing a prosperous agricultural sector.

Water demand in the SRB, which comes mainly from irrigated lands (85%), is much larger than available water resources (CHS, 2010a). Besides, this demand is growing steadily: in 2003, the ratio between water abstraction and renewable resources was an alarming 1.27; by 2009, this ratio had shot up to 2.5, denoting the most serious case of overexploitation in Europe (EEA, 2009). Authorities have tried to stop water demand growth by implementing a set of command and control policies which included the prohibition of additional water rights for

¹ However, the Spanish DMPs focus mainly on surface waters management and barely take into consideration groundwater, which in semi-arid Mediterranean basins is a key resource. Without additional instruments such as drought insurance markets this omission strengthens the incentives towards illegal groundwater overexploitation already present in Mediterranean areas (see for example Gómez and Pérez, 2012).

irrigation since 1986. However, only between 1990 and 2000 irrigated land grew at an average rate of 6,500 ha/year. This illegal surface was estimated to equal 100,000 ha in the year 2005 (IDRUICM, 2005) and since then has continued growing. Illegal irrigated lands are supplied with illegal resources, mostly from aquifers². However, rather than enforcing property rights by closing illegal mills, the traditional response has been to tolerate offenders³ (CHS, 2010a; Llamas, 2007). Not surprisingly, the drought risk has increased along with the increase in water scarcity, and under the current water supply and demand a drought can occur in one of every six years (Gómez and Pérez, 2012). During these extreme events regulated surface water use is controlled (especially after the implementation of the DMPs), and neglected groundwater becomes *de facto* the cheapest possible agricultural drought insurance.

Campo de Cartagena, in the SRB, is an agricultural district with approximately 13,000 ha of irrigated ligneous crops (28.9% of the total irrigated land). Water demand for irrigation amounts to 58 million cubic meters (hm^3) in a normal hydrological year. Approximately 16.7 hm^3 of irrigation demand is supplied by the three aquifers in the area (Carrascoy, Victorias and Campo de Cartagena). These aquifers are overexploited even in normal hydrological years (CHS, 2010a; MARM, 2007), and in average 36% of total abstractions are non-renewable. (CHS, 2010a). Although it suffers from severe water scarcity, Campo de Cartagena is one of the largest and most profitable irrigated areas in Spain (CHS, 2010a), with production levels well over 20,000 kg/ha for some fruit trees (such as lemon, mandarin, orange and peach trees) (Pérez et al., 2011). Thus, the incentives for aquifer overexploitation are high, even in the presence of high abstraction costs.

² The SRB accumulated groundwater overexploitation amounts to 7,000 million cubic meters (hm^3) (CHS, 2010b), including aquifers whose resources have been exhausted to such a degree that, even in the absence of more abstractions, it would take more than a century for them to completely recover. This is the case of the Alcoy-Sopalmo aquifer, where during some hydrological years it has been pumped out twenty times its renewable resources (CHS, 2010b).

³ The concession of new water use rights has been legally forbidden in the Segura River Basin since 2005, when aquifers were declared overexploited. Nevertheless, agricultural use increased by 5% each year since 2005 (CHS, 2010a and 2011). This is possible because of a lack of control over irrigation water demand. For example, only 155,313 ha of the 225,356 ha irrigated in the Region of Murcia (71.4% of the total irrigated land in the SRB) are officially registered by the water authority.

4. Methodology

The viability of an insurance market depends on the experimental design of the feasible scenarios with their associated financial losses and their corresponding probabilities, from which the risk premium is estimated (Skees and Barnett, 1999). Basic risk premium is estimated as the ratio between the expected indemnity (a function of expected losses) and the expected net income in a reference year (in this case, a normal –or expected- hydrological year).

Actuaries estimate the expected indemnity and the expected net income from the assessment of the historical evolution of the insured product (Martin et al., 2001), which follows a non-deterministic pattern. The following methodology allows the calculation of these values and the resulting risk premium through the development of a risk-production model which depends on three stochastic variables (rainfall, runoff and stock) and a set of institutional decision rules. The model is made up of three stages:

- i) The first stage uses a standard method to obtain water requirements for each ligneous crop. We compare the evapotranspiration requirements with the amount of water available, which is from the following five sources: three stochastic sources (rainwater, runoff and stored water), the existing stock of groundwater and a variable but deterministic amount of non-conventional sources (wastewater reuse and desalinated water). Finally, the amount of water to be delivered to the irrigation system is determined in accordance with the two alternative decision rules (traditional vs. drought contingency rules). This serves to measure the resulting excess demand for water as well as the moral hazard incentive to engage in illegal abstractions.

- ii) The second stage develops a deterministic agronomic model. This model allows us to estimate agricultural yield for every crop as a function of the percentage of evapotranspiration satisfied in i). The Net Income (NI) is also estimated.
- iii) Finally risk premium is estimated as the ratio of the expected drought indemnity to the expected NI (which are both a function of the NI obtained in ii) and the probabilities estimated in i)).

4.1. First Stage. The decision context: water requirements and water availability

Following the Spanish Ministry of Environment standard method (MARM, 2009)⁴, the amount of water required by a single crop, or its evapotranspiration (ET), is measured by using the evapotranspiration registered during the period from 1941 to 2009 (MARM, 2009). In the case of irrigated crops, these water requirements are partially covered by the effective rainfall (ER) received from nature, which is a function of rainfall (a stochastic variable in the model). Thus, the amount of water required from the irrigation system, or the agronomic water required (WR) by a particular crop, is equivalent to the difference between the crop's evapotranspiration (ET) and the effective rainfall (ER). Agronomic water requirements can either be satisfied or not satisfied, depending on the region's natural capital (stochastic runoff) and human capital (surface water stored).

The effective coverage of the agronomic water requirements depends on three stochastic variables: rainfall, runoff and surface water stored. We consider the probability density function (PDF) of these three factors to determine the water supply at any moment in time.

⁴ MARM methodology follows a combination of the Thornthwaite and Penman-Monteith Methods (see, for example, Allen et al., 2006).

4.1.1. Effective Rainfall

Effective rainfall (ER) is the amount of rainfall in mm (p) that effectively contributes to satisfy evapotranspiration⁵:

$$ER = g(p) \quad [1]$$

To represent ER_i under every possible state of nature, the observed data were adjusted to a probability density function (PDF)⁶ that allows assigning a probability (y) to each rainfall level (p). This function is obtained as the best fit gamma function⁷ of the following type (McWorther et al., 1966; Martin et al., 2001; Gómez and Pérez, 2012):

$$y = z(p|a, b) = \frac{1}{b^a \Gamma(a)} p^{a-1} \exp\left(-\frac{p}{b}\right) \quad [2]$$

where a and b are, respectively, the scale and the shape parameters. Table 1 presents the maximum likelihood estimators (MLEs) of this function's parameters. Higher probabilities correspond to rainfall levels that are low or even very low for a region supporting a highly productive and water-dependent agriculture.⁸

Table 1: Rainfall Gamma function. The dependent variable is mm of rainfall.

⁵ Effective rainfall (ER) is estimated using the Soil Conservation Service–USDA methodology for Spain (Cuenca, 1989), and it is a function of humidity deficit ($f(D)$), rainfall (p) and evapotranspiration (ET). It is measured in annual mm:

$$ER = f(D) \cdot [1,25 p^{0,824} - 2,93] \cdot 10^{0,000955 \cdot ET}$$

⁶ Data on cumulative annual rainfall are obtained from the *Sistema Integrado de Información del Agua* (SIA) (MARM, 2009) for the period 1941 to 2009.

⁷ The gamma function is defined by a scale parameter (a) and a shape parameter (b). It is consistent with rainfall measures because negative values are not allowed. The function reaches a maximum for intermediate values, decreases according to its scale parameter and converges to a normal distribution function as the shape parameter increases.

⁸ The Segura River Basin (SRB) is exposed to a higher meteorological drought risk than most of the basins in Spain. The average evapotranspiration is similar to that of the Guadalquivir River Basin in the south, although the rainfall distribution is concentrated in lower values (90% of rainfall values are between 400 and 800 mm).

The water deficit (WR) representing the part of evapotranspiration (ET) that is not covered by effective rainfall (ER) is also a stochastic variable, which can be defined as:

$$WR = ET - g(p) \quad [3]$$

4.1.2. Runoff

The amount of water available to cover the agronomic water requirements is estimated using two proxy variables measured in percentage units. The first proxy variable is the percentage of annual cumulative runoff over the river basin surface water storage capacity (r), and the second proxy variable is the percentage of water stored over the river basin surface water storage capacity at the beginning of the crop season (s) (CHS, 2010b; Gómez Ramos et al., 2001). Both are stochastic variables in our model.

Following Martin et al. (2001) and Gómez and Pérez (2012), we adjust the runoff probability distribution function to a gamma function.⁹ This allows assigning a probability (q) to each runoff level (r):

$$q = f(r|a, b) = \frac{1}{b^a \Gamma(a)} r^{a-1} \exp\left(\frac{-r}{b}\right) \quad [4]$$

Table 2 shows the best fit parameters for the runoff function.

Table 2: Runoff gamma function. The dependent variable is the percentage of runoff over the total surface water storage capacity.

4.1.3. Available surface stored water

⁹ Runoff values range from 0% to 225% over the river basin dam storage capacity.

Following Gómez Ramos et al. (2001), Pérez et al. (2011) and Gómez and Pérez (2012) we adjust the probability distribution function of the level of available stored surface water by using the Weibull function,¹⁰ which allows assigning a probability (w) to each stored water level (s)¹¹:

$$w = j(s|a, b) = \frac{b}{a} \left(\frac{s}{a}\right)^{b-1} \exp\left(-\left(\frac{s}{a}\right)^b\right) \quad [5]$$

Table 3: Surface water stored: Weibull function

The dependent variable is the percentage of dam stored water over dam storage capacity.

4.1.4. Decision rules

At the beginning of each crop season, the water authority observes the level of water stored in the reservoirs and assesses the overall irrigation water required (*TIR*).¹² Accordingly, the water authority then applies a rule to determine the amount of water to be delivered to the crop fields.¹³ The amount of irrigation resources actually delivered each year is a public decision that is based on water availability. Until the SRB's DMP was implemented, the percentage of TIR effectively satisfied followed discretionary decision rules. On the other hand, the new DMP establishes a set of drought thresholds and below them the percentage of TIR satisfied is

¹⁰ The Weibull distribution is a continuous probability distribution with a scale parameter (a) and a shape parameter (b).

¹¹ The s data series, as a percentage of the total dam storage capacity, is obtained from *Anuario de Aforos* (MARM, 2008).

¹² TIR is the maximum amount of irrigation resources that can be conceded in an ideal hydrological year. Spanish river basins estimate TIR as the agronomic water required to cover the 80th percentile of annual historical evapotranspiration (from 1941 to 2009) with a global efficiency of the water provisioning system of 60% (MARM, 2008). TIR is then higher than the percentage of TIR actually conceded, and it is generally higher than WR.

¹³ The irrigation resources actually conceded by the river authority in the SRB cover only a percentage of the estimated TIR (%TIR).

predetermined. Actually both systems are in force. During normal years, as no explicit percentage of TIR is specified in the DMP, traditional decision rules will hold. During drought events the DMP will apply, although under extreme drought events it is unlikely that the optimistic amounts to be transferred will hold¹⁴ and the DMP rules may not be kept.

i) Traditional decision rules to determine water delivery for irrigation

In contrast with the situation created by the recently approved drought plans, the decision rules followed thus far have been the result of a combination of social agreements, opinions of expert judges and discretion with no written rules to be applied in any case, depending on the water available for the crop season. To formalise these decisions, we use the available data on the amount of water effectively delivered to farmers measured as a percentage of irrigation resources conceded over TIR. Available data span a range of 14 years (1992 to 2007) (CHS, 2010b), and as is normal in this type of analysis, the number of observations is fewer than required by a robust estimation of a probability distribution function. To compensate for the problem caused by the small number of observations, we follow the standard approach of increasing the sample size by representing the percentage of TIR satisfied as a proportion of runoff, r ¹⁵ $h(r)$ by using ordinary least squares (Gómez Ramos et al., 2001).¹⁷ The function relating $h(r)$ with runoff is presented below and the estimated value of parameters is in Table 4.

$$h(r) = \alpha * r \quad [6]$$

¹⁴ As the empirical data suggest, the estimated satisfied agronomic crop requirements under the new drought plan are too optimistic compared with past drought events. For example, during the 2005-2008 drought less than 25% of TIR were satisfied, well below the amount established by the DMP.

¹⁵ The r data as a percentage of dam storage capacity were obtained from *Anuario de Aforos* (MARM, 2008).

¹⁶ Stored water (s) was not found to be statistically correlated with the percentage of TIR satisfied, which could be a consequence of the small storage capacity of the Segura River Basin. The ratio of reservoir storage capacity (1,141 hm³) over average yearly water use (1,905 hm³) is only 60% in the SRB, far lower than that of the drought-prone Guadalquivir (238%) and the rainfall-abundant Ebro River Basin (90%) (see: CHS, 2011; CHE, 2011; CHG, 2011).

¹⁷ For values of TIR over 100%, the function is truncated and equals 1.

Table 4: Irrigation resources estimation under the traditional decision. The dependent variable is a percentage of irrigation resources conceded in the SRB over TIR.

i) DMP decision rules over water for irrigation

The recently approved DMP for the SRB assesses the particular situation at hand and the severity of the problem by using an objective and publicly observable drought index, I_{ϵ} . This plan establishes the following four drought thresholds (CHS, 2010b) i) when water stored levels are regarded as *normal* ($I_{\epsilon} > 0.5$), there are no additional explicit restrictions, and thus water delivery is the same as in the baseline or traditional rule scenario; ii) water for irrigation is reduced by 10% ($h = 0.9$) when available water falls below the pre-alert threshold ($0.35 < I_{\epsilon} \leq 0.5$); iii) if the alert limits are exceeded ($0.2 < I_{\epsilon} \leq 0.35$), water for irrigation is reduced by at least 25% ($h = 0.75$); and iv) in emergency situations ($I_{\epsilon} \leq 0.2$), water for irrigation is halved ($h = 0.5$). According to our model, a drought is quite likely in the SRB, occurring with a probability of 14%.¹⁸

In the case of Campo de Cartagena in the SRB, the drought index (I_{ϵ}) depends on the observed values of both runoff and stock¹⁹ (CHS, 2010b). Therefore, we define $I_{\gamma,s}$ as a discrete water

¹⁸ This is a minimum threshold. Historical data underestimate drought risk because the data do not consider that today's water resources are jeopardized significantly more than in the past.

¹⁹ I_{ϵ} is calculated as follows (CHS, 2010a):

$$I_{\epsilon} = \frac{1}{2} \left(1 + \frac{V_i - V_{med}}{V_{max} - V_{min}} \right), \text{ if } V_i \geq V_{med}$$

$$I_{\epsilon} = \frac{1}{2} \left(\frac{V_i - V_{min}}{V_{med} - V_{min}} \right), \text{ if } V_i < V_{med}$$

where V_i is an indicator that is unique for each *junta de explotación* (a group of agricultural districts or comarcas). In *Sistema Cuenca*, which is Campo de Cartagena's corresponding sub-basin, V_i is obtained as follows:

restriction variable whose value depends on the drought index (and thus on runoff and stock values) and its corresponding h . As the empirical data suggest, the estimated satisfied agronomic crop requirements under the new drought plan are too optimistic compared with past events. Therefore, we set l_{rs} as the minimum between $h(r)$ defined in the baseline scenario and the SRB's DMP parameters above (h):

$$l_{rs} = \begin{cases} \min(h(r), 0.5), & \text{if } I_e \leq 0.2 \\ \min(h(r), 0.75), & \text{if } 0.2 < I_e \leq 0.35 \\ \min(h(r), 0.9), & \text{if } 0.35 < I_e \leq 0.5 \\ h(r), & \text{if } I_e > 0.5 \end{cases} \quad [7]$$

Finally, the percentage of TIR satisfied (TIRr) under current decision rules would be:

$$TIRr = l_{rs} * TIR \quad [8]$$

4.1.5. Percentage of evapotranspiration satisfied

Only a fraction of the TIRr effectively contributes to satisfy evapotranspiration. The effective surface irrigation resources ($EIR(r)$), or the part of the irrigation resources (TIR) that effectively satisfy evapotranspiration, is a function of the runoff (through $g(h)$) and the overall efficiency of the irrigation system (e_s):

$$EIR(r) = TIR * h(r) * e_{sw} \quad [9]$$

$$V_i = \frac{2 * DSC * r + DSC * s}{3}$$

Where r is the runoff as a percentage of the total dam storage capacity (DSC) and s is dam stored water as a percentage of the total DSC . Using r and s maximum, minimum and average observed values during the reference period, we obtain V_{max} , V_{min} and V_{med} , respectively.

Other publicly controlled water sources, such as the groundwater legally used (gw), the treated water (tw) and the desalinated water (dw), are provided to farmers in proportion to the irrigation resources delivered ($h(r)$)²⁰ from reservoirs. The amount of water delivered from each of these sources is converted into an effective irrigation resource by using its own technical efficiency index (e_{gw} for groundwater, e_{tw} for treated water and e_{dw} for desalinated water),²¹ as follows:

$$gw(r) = \frac{\lambda}{\eta} * TIR * h(r) * e_{gw} \quad [10]$$

$$tw(r) = \frac{\gamma}{\eta} * TIR * h(r) * e_{tw} \quad [11]$$

$$dw(r) = \frac{\theta}{\eta} * TIR * h(r) * e_{dw} \quad [12]$$

The percentage of the evapotranspiration satisfied ($\%ET$) can now be obtained from the previous equations, as follows:

$$\%ET_{r,s,p} = \frac{g(p) + \frac{I_{r,s}}{h(r)} * (EIR(r) + gw(r) + tw(r) + dw(r))}{ET} \quad [13]$$

Each $\%ET$ has an associated probability ($prob_{\%ET}$), which depends on runoff (r) and rainfall (p) values. Using expressions [2] and [4], this probability can be expressed as follows:

$$prob_{\%ET_{r,s,p}} = f(r) * z(p) * j(s) \quad [14]$$

The expected level of evapotranspiration coverage (E_{ET}) and the resulting expected irrigation deficit (ID) in the traditional rule scenario can be represented as:

²⁰ In an average hydrological year, Campo de Cartagena irrigation resources come primarily from dam stored water (65.31%, η , 37.6 hm³ of effective water) and groundwater (29%, 16.92 hm³ of effective water, λ). Desalinated water (0.39%, θ) and treated water (5.3%, γ) are negligible (3.32 hm³ of effective water) (MARM, 2007). These percentages are assumed to be constant in the model.

²¹ Piping and irrigation techniques determine the final amount of effective water applied to satisfy a certain amount of a crop's water demand. Global efficiency of the system for the Campo de Cartagena region is approximately 87% for dam stored water, 60% for desalinated water and treated water and 25% for groundwater (CHS, 2008; MARM, 2007).

$$E_{ET} = \int_{r=0}^{225} \int_{p=0}^{1300} \int_{s=0}^{100} \left[z(p) * j(s) + f(r) * \frac{l_{r,s}}{h(r)} * (EIR(r) + gw(r) + tw(r) + dw(r)) \right] \quad [15]$$

$$ID = ET - E_{ET} \quad [16]$$

4.2. Second stage. Agronomic production functions and Net Income

The agronomic production of a given crop depends largely on available water, either from rainfall or irrigation. However, making the production function of a crop dependent only on the level of satisfaction of agronomic water needs implies that other variables that may affect the production function (soil type, fertilizers and phytosanitaries, climatic variables, etc.) are excluded. On the other hand if we consider this set of variables constant it is still possible to develop sound and rigorous agronomic production functions which provide results close to observed values (SCRATS, 2005). In our model we make the agronomic production (in kg) ($Q_{r,s,p}$) dependent on the percentage of evapotranspiration satisfied (and in turn on three stochastic variables: rainfall, runoff and water stock).

$$Q_{r,s,p} = f(\%ET_{r,s,p}) \quad [17]$$

The reference agronomic production functions for the crops considered are obtained after a comprehensive bibliographical review. Then these functions are adapted to the characteristics of the area of the case study, if there are not site-specific production functions (MARM, 2010; SCRATS, 2005). To do so it is assumed that the local characteristics have fixed effects that shift the reference agronomic production functions but maintain their elasticity and marginal productivity. Resulting production functions are quadratic:

$$Q_{r,s,p} = a * \%ET_{r,s,p}^2 + b * \%ET_{r,s,p} + c \quad [18]$$

Now we estimate Net Income (NI) through a set of site- and crop-specific parameters²² for prices, variable costs and fixed costs. These parameters are estimated by the Ministry of Environment from agrarian statistical data (MARM, 2007). Value of total income ($V_{r,s,p}$) results from the product of total agronomic production ($Q_{r,s,p}$) and the updated average prices of the last 10 years (P)²³ (MARM, 2007).

$$V_{r,s,p} = Q_{r,s,p} * P \quad [19]$$

On the other hand the costs are divided in direct costs ($CD_{r,s,p}$), machinery costs ($CM_{r,s,p}$), fixed labor costs (Lf), variable labor costs ($Lv_{r,s,p}$) and water costs ($CW_{r,s}$). $CD_{r,s,p}$ and $CM_{r,s,p}$ are both a linear function of production:

$$CD_{r,s,p} = Q_{r,s,p} * \delta \quad [20]$$

$$CM_{r,s,p} = Q_{r,s,p} * \varepsilon \quad [21]$$

Where the parameters δ and ε are site- and crop-specific parameters obtained from MARM (2007).

Fixed labor costs are a function of agricultural day's pay (ζ) in the area and the average number of days employed by fixed workers in the corresponding crop (J^f). Variable labor costs are a function of agricultural day's pay (ζ), the average number of days employed by temporary workers in the corresponding crop (J^v) and a variable that links the need to hire temporary workers to the production level (quotient between observed production minus minimum production and maximum production minus minimum production):

²² These parameters are estimated for every type of crop at an agricultural district level (comarca).

²³ Prices are therefore assumed not to be affected by the amount of production. This assumption is reasonable if we consider that production shocks are asymmetric and then prices are not affected or if we consider a long term scenario.

$$Lf = J^f * \zeta \quad [22]$$

$$Lv_{r,s,p} = J^v * \zeta * \left(\frac{Q_{r,s,p} - Q_{r,s,p\min}}{Q_{r,s,p\max} - Q_{r,s,p\min}} \right) \quad [23]$$

Water costs are a function of water price per cubic meter (θ) and total water demand for irrigation:

$$CW_{r,s} = RRT * l_{r,s} * \theta \quad [24]$$

Finally, Net Income ($NI_{r,s,p}$) in euros per hectare is obtained as the difference between total income and costs:

$$NI_{r,s,p} = V_{r,s,p} - (CD_{r,s,p} + CM_{r,s,p} + MOf + MOv_{r,s,p} + CA_{r,s}) \quad [25]$$

4.3. Third stage. Risk premium

The key element of any insurance market is the estimation of the basic risk premium that, given the likelihood of a catastrophic event, guarantees full cost recovery (excluding operating costs) in a medium-long term.

The indemnity conceded by drought insurance in case of drought losses is subject to two requisites: i) losses must be institutionally acknowledged; and ii) losses have to be larger than a minimum threshold predetermined by the insurance company, usually as a percentage of the NI.

- i) For any drought losses to be institutionally acknowledged as such the Basin Authority has to formally declare that irrigation restrictions are going to be implemented (that is to say, DMP enters into force). In the case of the SRB a hydrological system is considered to suffer a drought when it is under an emergency, alert or prealert

state (i.e., $I_g \leq 0.5$). We generate a dichotomous variable, $a_{r,s}$, to include this condition in our model.

$$\begin{cases} a(r,s) = 1, \text{ if } I_g \leq 0.5 \\ a(r,s) = 0, \text{ if } I_g > 0.5 \end{cases} \quad [26]$$

- ii) Additionally, losses derived from a drought must exceed a minimum threshold (μ) to be indemnified, which is usually around 70% of the expected NI in a normal hydrological year (i.e., $I_g > 0.5$). This threshold then represents the maximum possible indemnity. Indemnity for every state of nature ($IN(r,s,p)$) is then defined as follows:

$$IN(r,s,p) = \begin{cases} \mu * NI_{r,s,p}, \text{ if } NI_{r,s,p} < 0 \\ \mu * NI_{exp} - NI_{r,s,p}, \text{ if } 0 \leq NI_{r,s,p} < \mu * NI_{I_g > 0.5} \\ 0, \text{ if } NI_{r,s,p} \geq \mu * NI_{I_g > 0.5} \end{cases} \quad [27]$$

Expected Indemnity ($IE_{r,s,p}$) for each crop is obtained from the following equation:

$$IE_{r,s,p} = \int_{r=0}^{225} \int_{p=0}^{1300} \int_{s=0}^{100} [z(p) * f(r) * j(s) * a(r,s) * IN(r,s,p)] \quad [28]$$

Finally the risk basic premium ($BRP_{r,s,p}$) is obtained as a percentage of expected NI in a normal hydrological year:

$$BRP_{r,s,p} = \frac{IE_{r,s,p}}{NI_{I_g > 0.5}} \quad [29]$$

Although the basic risk premium is the key element in the design of an insurance market, it has to be regarded exclusively as a reference value, not as the final amount of money to be paid by the insured, because of two reasons: i) first, farmers and public administration are risk averse and their willingness to pay in order to transfer part of the risk they bear to an insurance agent is greater than the expected drought losses; ii) second, the implementation of an insurance

system requires that an agent constitutes a financial fund in which stochastic indemnities are compensated by the money paid by the insured; however, this fund has intrinsic operating costs which are assumed by the agent and have to be recovered.

5. Results

The above methodology has been applied for our case study in the Campo de Cartagena agricultural district. In absence of EPIs to address extreme water scarcity, there exist significant incentives for groundwater overexploitation. The following table shows the outcome of the model in terms of the expected rates of evapotranspiration satisfied and the associated irrigation deficits in an average year (in both volume and per cent units) under current decision rules.

Table 5: Expected evapotranspiration satisfaction and expected irrigation deficit in absolute terms (hm^3) and as a percentage of ET satisfied ($\%ET$) in the Campo de Cartagena agricultural district.

The irrigation deficit above has to be understood as the potential of private drought insurance schemes to avoid the overuse of water resources. According to our stochastic assessment of historical data, drought events have a likelihood of 14%. This high probability originates a relevant expected irrigation deficit during an average year of 2.41 hm^3 . However, this is just the average. Irrigation deficits and resulting incentives for overexploitation can be actually much worse during drought events (Gómez and Pérez, 2012).

The parameters of the production functions for the Region of Murcia, where Campo de Cartagena is located, were obtained for every relevant ligneous crop²⁴ in the area and are displayed in the following table:

Table 6: Quadratic agronomic production functions, Region of Murcia (form:

$$a * \%ET_{r,s,p}^2 + b * \%ET_{r,s,p} + c)$$

So far the potential for water saving of private drought insurance systems has been assessed. However, financial viability is still unknown. The expected production in a normal hydrological year ($Q_{I_e > 0.5}$) and its corresponding Net Income ($NI_{I_e > 0.5}$), the expected indemnity ($IE_{r,s,p}$) and the basic risk premium ($BRP_{r,s,p}$) are obtained for every relevant ligneous crop in Campo de Cartagena in the table below. BRP is between a viable threshold that ranges from 0.01% to 9.13%.

Table 7: Expected Indemnity ($IE_{r,s,p}$), expected production in a normal hydrological year ($Q_{I_e > 0.5}$), expected Net Income ($NI_{I_e > 0.5}$) and Basic Risk Premium ($BRP_{r,s,p}$) for ligneous crops in Campo de Cartagena agricultural district.

Greater risk premium is observed in citrus trees: the mandarin (with a risk premium of 9.13% and representing 5.24% of the total irrigated surface in Campo de Cartagena) and orange tree (8.48%; 11.63%) have the highest risk premium. The lemon tree, the most relevant crop in the area (21.98% of total irrigated surface), has a moderate risk premium of 3.66%. Other fruit trees as the pear tree, apricot tree and peach tree have a risk premium under 1%, while traditional rainfed crops now under irrigation show higher resilience and have the lowest risk premium. The case of the olive tree, a traditionally rainfed species which nonetheless shows a

²⁴ Main ligneous crops in Campo de Cartagena are almond tree, apricot tree, lemon tree, mandarin, orange tree, peach tree, olive tree, pear tree and vineyard (both for wine and grape production) (MARM, 2007).

relatively high risk premium, may seem surprising. However, this can be explained by the displacement of olive groves to marginal and less productive lands more vulnerable to drought events.

4. Conclusion

Water overexploitation is the most important threat faced by Mediterranean European basins (EEA, 2009). As a result of it, the fulfillment of the environmental goals prescribed by the Water Framework Directive (EC, 2000) is being delayed by many Basin Authorities. Also, recent droughts in southern European regions have even forced to stop household water supply, being both priority objectives in any European water management plan. The main water consumer in these regions is irrigated land. Traditional approaches to reduce water consumption in agriculture (apart from the largely ineffective command and control policies) have consisted of the increase of water supply or the improvement of irrigation systems. However, these and similar supply-side policies are costly and some have shown significant rebound effects which have resulted in higher water consumption (Pérez et al., 2010; Gómez, 2009; Alcott, 2005 and 2008; Brookes, 1990; Khazzoom, 1989).²⁵ It seems then rather obvious that an effective and feasible solution for overexploitation has to deal with agricultural water demand.

In many of these overexploited catchments irrigated land makes a marginal increase in productivity compared to the traditional rainfed alternative, and this is just because water prices are subsidized. Under these conditions a feasible solution consists of encouraging the progressive replacement of irrigated by rainfed lands (Mendelsohn and Saher, 2011) through the implementation of economic instruments such as water fees (Ecotec, 2001) or water markets (Tirado et al., 2006). However the implementation of these measures can be

²⁵ Besides, these measures can only be subsidized in legal exploitations, and illegal exploitations represent a relevant share of irrigated land (IDRUICM, 2005).

insufficient in the SRB, where irrigated agriculture is ten times more profitable than rainfed agriculture and illegal abstractions are generalized and tolerated (WWF, 2006).

A properly designed agricultural drought insurance market represents a useful instrument to soften the negative impacts of drought over water resources. So far uncertainty made private drought insurance non-viable and public intervention was necessary. However the DMPs, if observed, allow the development of private drought insurance markets with an effective and cheaper surveillance mechanism. This has at least two clear advantages: i) first, the removal of public support provides incentives for the estimation of an accurate risk premium which reflects the actual costs of drought, with no costs for the taxpayers; ii) second, the surveillance mechanism of private agricultural insurance schemes is more effective and efficient and focuses on final production, which avoids the costly search for illegal wells and better prevents overexploitation.

The potential of drought insurance markets to reduce overexploitation stemming from drought events is especially relevant in areas with significant water deficits, high drought exposure and profitable irrigated lands. This is the case of Campo de Cartagena as well as of many other south eastern Spanish catchments. In this agricultural district expected water deficit in agriculture is about 2.41 hm^3 every year, although during extreme droughts ($I_e \leq 0.2$), with a likelihood of 9.9% in our model, the deficit can soar up to 9.38 hm^3 . Besides, the new DMP limits the use of surface water and this will most likely result in further groundwater overexploitation. Gómez and Pérez (2012) have estimated that potential groundwater overexploitation in Campo de Cartagena during extreme events equals $38.83 \text{ hm}^3/\text{year}$. The magnitude of this figure implies that the negative effects over aquifers after such a drought may not be reverted.

Insurance markets guarantee a minimum safety income to farmers during drought junctures provided that observed production levels are according to legal water availability. This design

considerably reduces incentives towards water overexploitation during droughts and makes insurance markets an optimal instrument against aquifer depletion in drought prone areas.

Bibliography

-Alarcón, J., Torrecillas, A., Sánchez-Blanco, M. J., Abrisqueta, J. M., Vera, J., Pedrero, F., Magaña, I., García-Orellana, Y., Ortuño, M. F., Nicolás, E., Conejero, W., Mounzer, O. y Ruiz-Sánchez, M. C. (2006) Estrategias de riego deficitario en melocotonero temprano. *Vida Rural*, 225. Madrid.

-Alcott, B. (2005) Jevons' paradox. *Ecological Economics*, 54, 1, 9–21.

-Alcott, B. (2008) Historical Overview of the Jevons Paradox in the Literature, en J. M. Polimeni, K. Mayumi, M. Giampietro (Eds.), *The Jevons Paradox and the Myth of Resource Efficiency Improvements*. Earthscan. London, 7–78.

-Allen, R., Pereira, L. S., Raes, D. y Smith, M. (2006) *Crop evapotranspiration. Guidelines for computing crop water requirements*. United Nations Food and Agriculture Organization (FAO). FAO Irrigation and Drainage paper 56. Rome.

-Almarza, P. (1997) Efecto del riego deficitario aplicado en distintos estados fenológicos de la vid cv. Cabernet Sauvignon sobre la producción y calidad del vino. Doctoral Thesis, University of Chile.

-Anderies, J., Jansen, M., Ostrom, E. (2004) A Framework to Analyze the Robustness of Social-ecological Systems from an Institutional Perspective. *Ecology and Society* 9, 1, 18.

-Anderies, J. (2005) Minimal models and agroecological policy at the regional scale: An application to salinity problems in southeastern Australia. *Regional Environmental Change*, 5, 1–17

-Anderies, J., Ryan, P., Walker, B. (2006) Loss of Resilience, Crisis, and Institutional Change: Lessons from an Intensive Agricultural System in Southeastern Australia. *Ecosystems*, 9, 865–878.

-Boletín Oficial del Estado (BOE) (2001) Ley 10/2001, de 5 de julio, del Plan Hidrológico Nacional.

-Boletín Oficial del Estado (BOE) (2003) Ley 62/2003, de 30 de diciembre, de medidas fiscales, administrativas y del orden social.

-Boletín Oficial del Estado (BOE) (2007) Real Decreto 907/2007, de 6 de julio, por el que se aprueba el Reglamento de la Planificación Hidrológica.

-Brookes, L. (1990) Energy Efficiency and Economic Fallacies, *Energy Policy*, 20, 5, 390-392.

-Confederación Hidrográfica del Segura (CHS) (2006) Estudio de Actualización de las demandas a atender por la Mancomunidad de los Canales del Taibilla en el horizonte del Plan Hidrológico. Murcia. Last accessed 25/01/2012.

-Confederación Hidrográfica del Segura (CHS) (2008) Esquema Provisional de Temas Importantes.

http://www.chsegura.es/export/descargas/planificacionydma/planificacion/docsdescarga/ETI_v6_29julio2008.pdf. Last accessed 25/01/2012.

-Confederación Hidrográfica del Segura (CHS) (2010a) Esquema provisional de temas importantes.

http://www.chsegura.es/export/descargas/planificacionydma/planificacion/docsdescarga/ETI_v6_29julio2008.pdf. Last accessed 25/01/2012.

-Confederación Hidrográfica del Segura (CHS) (2010b) Plan especial ante situaciones de alerta y eventual sequía de la cuenca del Segura.

<http://www.chsegura.es/chs/cuenca/sequias/gestion/>. Last accessed 25/01/2012.

-Confederación Hidrográfica del Segura (CHS) (2011) Estadísticas hidrológicas <http://www.chsegura.es/chs/cuenca/redesdecontrol/estadisticashidrologicas/>. Last accessed 25/01/2012.

-Cuenca, R. (1989) Irrigation system design: an engineering approach, Prentice Hall. Englewood Cliffs.

-Dinar, A. (2000) The Political Economy of Water Pricing Reforms. Oxford University Press, Washington, D.C.

-Dinar, A., Subramanian, A., (eds.) (1997) Water Pricing Experience. An International Perspective. Technical Paper No. 386, The World Bank, Washington, DC

-Dinar, A. and Saleth, M. (2005) Water institutions can be cured? A water health institutions index. Water Science and Technology, 15, 6, 17-40.

-Ecotec (2001) Study on the Economic and Environmental Implications of the Use of Environmental Taxes and Charges in the European Union and its Member States. In association with CESAM, CLM, University of Gothenburg, UCD, IEEP, http://europa.eu.int/comm/environment/enveco/taxation/environmental_taxes.htm. Last accessed 25/01/2012.

-European Commission (EC) (2000) Water Framework Directive. Directive 2000/60/EC, October 23, 2000.

-European Commission (EC), 2007. Green paper on market-based instruments for environment and related policy purposes. COM (2007) 140 final. In.

-European Commission (EC) (2008) Drought Management Plan Report. Including Agricultural, Drought Indicators and Climate Change Aspects. Water Scarcity and Droughts Expert Network.

http://ec.europa.eu/environment/water/quantity/pdf/dmp_report.pdf. Last accessed 25/01/2012.

-European Environment Agency (EEA) (2009) Water resources across Europe – confronting water scarcity and drought, EEA Report 2/2009.

-Gómez-Ramos, A., Iglesias, E., Garrido, A. (2002) Evaluación de la garantía de suministro de agua en la agricultura. Una aplicación a la cuenca del Guadalquivir. Ingeniería del Agua, 3, 9, 279-294.

-Gómez, C. M. (2009) La eficiencia en la asignación del agua. Principios básicos y hechos estilizados en España. Información Comercial Española, Economía y Medio Ambiente, 847, 23-40.

-Gómez, C. M., Pérez, C. D. (2012) Do Drought Management Plans really reduce drought risk? A Risk Assessment Model for a Mediterranean River Basin. Ecological Economics (in press).

-Gunderson, L. (2001) Managing surprising ecosystems in southern Florida. Ecological Economics, 37, 371-378.

-Instituto de Desarrollo Regional Universidad de Castilla La Mancha (IDR-UCLM), Grupo de Teledetección y SIG (2005) Informe-Resumen: Estudio de evolución del Regadío en la Cuenca del río Segura. Albacete.

-Instituto Nacional de Estadística (INE) (2011) Water Satellite Accounts, <http://www.ine.es/jaxi/menu.do?L=0&type=pcaxis&path=%2Ft26%2Fp067&file=inebase>. Last accessed 25/01/2012.

-Khazzoom, J. (1989) Energy Savings from More Efficient Appliances. A Rejoinder. The Energy Journal, 10, 1, 157-166.

-Maestu, J., Gómez, C. M., Gutiérrez, C. (2007) El agua en la economía española: Situación y perspectivas. Informe Integrado del Análisis Económico de los Usos del Agua, Ministerio de Medio Ambiente y Medio Rural y Marino. ISBN 978-84-8320-450-4. Madrid.

-Mañas, F.; López, R. y López, P. (2007) Respuesta del cultivo del almendro a diferentes programas de riego. XI Congreso SECH. Albacete.

-Martin, S., Barnett, B., Coble, K. (2001). Developing and pricing precipitation insurance. *Journal of Agricultural and Resource Economics*, 26, 1, 261-274.

-McWhorter, J. C., Matthes Jr., R. K., Brooks Jr., B. P. (1966) Precipitation Probabilities for Mississippi. Water Resources Research Institute, Mississippi State University.

-Ministerio de Medio Ambiente (MARM) (2005) Informe de Sostenibilidad Ambiental. Actuaciones Urgentes del Programa Agua en las cuencas mediterráneas, Anexo II. Madrid.

-Ministerio de Medio Ambiente (MARM) (2005) Guía para la redacción de Planes Especiales de Actuación en situación de Alerta y Eventual Sequía, Madrid.

-Ministerio de Medio Ambiente y Medio Rural y Marino (MARM) (2007) Informes Técnicos de Sistemas de Explotación Agraria. Madrid.

-Ministerio de Medio Ambiente y Medio Rural y Marino (MARM) (2009) Anuario de Aforos 2007-2008. <http://hercules.cedex.es/anuarioaforos/default.asp>. Last accessed 25/01/2012.

-Ministerio de Medio Ambiente y Medio Rural y Marino (MARM) (2010) Encuesta sobre Superficies y Rendimientos de Cultivos 2009. Madrid.

-Ministerio de Medio Ambiente y Medio Rural y Marino (MARM) (2011) Sistema de Información del Agua (SIA).

http://www.mma.es/portal/secciones/acm/aguas_continent_zonas_asoc/sia/Descripcion.htm. Last accessed 25/01/2012.

- Pastor, M.; Hidalgo, J.; Hidalgo J. C. y Vega, V. (2005) Riego del olivar con cantidades deficitarias de agua. Junta de Andalucía. Córdoba.
- Pérez, C. D., Gómez, C., Yserte, R. (2010) Structural Change and Water: Scarcity, Dependence and Impacts on the Economy. The Case of Andalusia. *Estudios de Economía Aplicada*, 28, 2, 423-446.
- Pérez, C. D., Gómez, C., del Villar, A. (2011) Water Uncertainty in Agriculture: An Application to Guadalquivir and Segura River Basins. *Estudios de Economía Aplicada*, 29, 1, 333-358.
- Pérez-Pastor, A. (2001) Estudio agronómico y fisiológico del albaricoquero en condiciones de infradotación hídrica. Doctoral Thesis, Universidad Politécnica de Cartagena.
- Saleth, R. M., Dinar, A. (1999) Water Challenge and Institutional Response: A Cross-Country Perspective, World Bank Policy Research Working Paper nº 2045.
- Sindicato Central de Regantes del Acueducto Tajo-Segura (SCRATS) (2005) Informe sobre las repercusiones de la sequía 2004-2005, Murcia.
- Skees, J., Barnett, B. (2001) Conceptual and Practical Considerations for Sharing Catastrophic/Systemic Risks. *Review of Agricultural Economics*, 21, 2, 424-441.
- Tirado, D., Gómez Gómez, D. M., Lozano, J. (2006) Efficiency improvements and water policy in the Balearic Islands. A General Equilibrium Approach. *Investigaciones Económicas*, 30, 441-463.
- Vivas Cacho, A. (2010) Utilización del riego deficitario controlado a medio y largo plazo en peral de verano: efecto sobre producción y crecimiento vegetativo, I Jornada sobre Riego y Nutrición de Cultivos Leñosos y Hortícolas, Guadajira, Badajoz.
- Winpenny, J. T. (1994) *Managing Water as an Economic Resource*. Routledge Ed. London.

-WWF/Adena (2006) Illegal water use in Spain. Causes, effects and solutions, WWF/Adena, Madrid.

-Young, R. (2005) Determining the Economic Value of Water: Concepts and Methods, Resources for the Future. Washington, D. C.

Table 1: Rainfall Gamma function. The dependent variable is mm of rainfall.

Variable	Coefficient
a (scale)	16.358 ^a (2.821)
b (shape)	22.9964 ^a (2.286)
No. of observations	68

Estimated by maximum likelihood. Standard errors in parentheses.

a: significant at 1 the per cent level.

Source: Authors' elaboration from MARM, 2009b

Table 2: Runoff gamma function. The dependent variable is the percentage of runoff over the total surface water storage capacity.

Variable	Coefficient
a (scale)	6.1813 ^a (1.088)
b (shape)	0.1143 ^a (0.012)
No. of observations	68

Estimated by maximum likelihood. Standard errors in parentheses.

a: significant at the 1 per cent level.

Source: Authors' elaboration from MARM, 2008

Table 3: Surface water stored: Weibull function

The dependent variable is the percentage of dam stored water over dam storage capacity.

Variable	Coefficient
a (scale)	0.3411 ^a (0.063)
b (shape)	4.1286 ^a (0.497)
No. of observations	68

Estimated maximum likelihood. Standard errors in parentheses.

a: significant at the 1 per cent level.

Source: Authors' elaboration from MARM, 2008.

Table 4: Irrigation resources estimation under the traditional decision. The dependent variable is a percentage of irrigation resources conceded in the SRB over TIR.

Variable	Coefficient
Runoff (percentage over dam storage capacity)	1.351 ^a (.131)
R2	89.14
Adjusted R2	88.31
No. of observations	15

Estimated by ordinary least squares. Standard errors in parentheses.

a: significant at 1 the per cent level.

Source: Authors' elaboration from CHS (2010b)

Table 5: Expected evapotranspiration satisfaction and expected irrigation deficit in absolute terms (hm³) and as a percentage of ET satisfied (%ET) in the Campo de Cartagena agricultural district.

Variable		Value
Total Expected Evapotranspiration	E_{ET} (hm ³)	43.31
Satisfaction	$E_{\%ET}$	92.32%
Expected Irrigation Deficit	ID (hm ³)	2.41
	$ID_{\%ET}$	7.68%

Source: Authors' elaboration

Table 6: Quadratic agronomic production functions, Region of Murcia (form: $a * \%ET_{r,s,p}^2 + b * \%ET_{r,s,p} + c$)

Crop/Coeff.	a	b	c
Almond tree	-7,796.7	15,609	1,346.7
Apricot tree	6,224.1	52.41	8,933.4
Lemon tree	-16,967	53,265	-13,288
Mandarin	-13,712	49,445	-12,335
Peach tree	-61,794	110,955	-24,804
Orange tree	-16,013	52,947	-13,208
Olive tree (oil)	-3,597.9	10,987	-3,084.5
Pear tree	-43,034	88,101	-25,626
Vineyard (grape)	-11,918	23,859	2,058.4
Vineyard (wine)	17,122	-16,642	3,747.4

Sources: Authors' elaboration from MARM (2009) (all crops), SCRATS (2005) (citrus trees), Pastor et al. (2005) (olive tree), Mañas et al. (2007) (almond tree), Almarza (1997) (vineyard), Alarcón et al. (2006) (peach tree), Vivas Cacho (2010) (pear tree) and Pérez Pastor (2001) (apricot tree).

Table 7: Expected Indemnity ($IE_{r,s,p}$), expected production in a normal hydrological year ($Q_{I_e>0.5}$), expected Net Income ($NI_{I_e>0.5}$) and Basic Risk Premium ($BRP_{r,s,p}$) for ligneous crops in Campo de Cartagena agricultural district.

Variable/Crop	Almond tree	Apricot tree	Lemon tree	Mandarin	Peach tree	Orange tree	Olive tree (oil)	Pear tree	Vineyard (grape)
$Q_{I_e>0.5}$	9,159	15,210	23,010	23,398	25,001	23,726	4,305	19,441	13,999
$NI_{I_e>0.5}$	5,428	5,286	5,825	2,559	9,630	2,351	234	3,775	2,313
$IE_{r,s,p}$	0	-50	-213	-234	-14	-199	-6	-5	0
$BRP_{r,s,p}$	0.01%	0.94%	3.66%	9.13%	0.14%	8.48%	2.45%	0.14%	0.01%

Source: Authors' elaboration

NOTE DI LAVORO DELLA FONDAZIONE ENI ENRICO MATTEI

Fondazione Eni Enrico Mattei Working Paper Series

Our Note di Lavoro are available on the Internet at the following addresses:

<http://www.feem.it/getpage.aspx?id=73&sez=Publications&padre=20&tab=1>
http://papers.ssrn.com/sol3/JELJOUR_Results.cfm?form_name=journalbrowse&journal_id=266659
<http://ideas.repec.org/s/fem/femwpa.html>
<http://www.econis.eu/LNG=EN/FAM?PPN=505954494>
<http://ageconsearch.umn.edu/handle/35978>
<http://www.bepress.com/feem/>

NOTE DI LAVORO PUBLISHED IN 2014

CCSD	1.2014	Erin Baker, Valentina Bosetti, Karen E. Jenni and Elena Claire Ricci: Facing the Experts: Survey Mode and Expert Elicitation
ERM	2.2014	Simone Tagliapietra: Turkey as a Regional Natural Gas Hub: Myth or Reality? An Analysis of the Regional Gas Market Outlook, beyond the Mainstream Rhetoric
ERM	3.2014	Eva Schmid and Brigitte Knopf: Quantifying the Long-Term Economic Benefits of European Electricity System Integration
CCSD	4.2014	Gabriele Standardi, Francesco Bosello and Fabio Eboli: A Sub-national CGE Model for Italy
CCSD	5.2014	Kai Lessmann, Ulrike Kornek, Valentina Bosetti, Rob Dellink, Johannes Emmerling, Johan Eyckmans, Miyuki Nagashima, Hans-Peter Weikard and Zili Yang: The Stability and Effectiveness of Climate Coalitions: A Comparative Analysis of Multiple Integrated Assessment Models
CCSD	6.2014	Sergio Currarini, Carmen Marchiori and Alessandro Tavoni: Network Economics and the Environment: Insights and Perspectives
CCSD	7.2014	Matthew Ranson and Robert N. Stavins: Linkage of Greenhouse Gas Emissions Trading Systems: Learning from Experience
CCSD	8.2013	Efthymia Kyriakopoulou and Anastasios Xepapadeas: Spatial Policies and Land Use Patterns: Optimal and Market Allocations
CCSD	9.2013	Can Wang, Jie Lin, Wenjia Cai and ZhongXiang Zhang: Policies and Practices of Low Carbon City Development in China
ES	10.2014	Nicola Genovese and Maria Grazia La Spada: Trust as a Key Variable of Sustainable Development and Public Happiness: A Historical and Theoretical Example Regarding the Creation of Money
ERM	11.2014	Ujjayant Chakravorty, Martino Pelli and Beyza Ural Marchand: Does the Quality of Electricity Matter? Evidence from Rural India
ES	12.2014	Roberto Antonietti: From Outsourcing to Productivity, Passing Through Training: Microeconomic Evidence from Italy
CCSD	13.2014	Jussi Lintunen and Jussi Uusivuori: On The Economics of Forest Carbon: Renewable and Carbon Neutral But Not Emission Free
CCSD	14.2014	Brigitte Knopf, Bjørn Bakken, Samuel Carrara, Amit Kanudia, Ilkka Keppo, Tiina Koljonen, Silvana Mima, Eva Schmid and Detlef van Vuuren: Transforming the European Energy System: Member States' Prospects Within the EU Framework
CCSD	15.2014	Brigitte Knopf, Yen-Heng Henry Chen, Enrica De Cian, Hannah Förster, Amit Kanudia, Ioanna Karkatsouli, Ilkka Keppo, Tiina Koljonen, Katja Schumacher and Detlef van Vuuren: Beyond 2020 - Strategies and Costs for Transforming the European Energy System
CCSD	16.2014	Anna Alberini, Markus Bareit and Massimo Filippini: Does the Swiss Car Market Reward Fuel Efficient Cars? Evidence from Hedonic Pricing Regressions, a Regression Discontinuity Design, and Matching
ES	17.2014	Cristina Bernini and Maria Francesca Cracolici: Is Participation in Tourism Market an Opportunity for Everyone? Some Evidence from Italy
ERM	18.2014	Wei Jin and ZhongXiang Zhang: Explaining the Slow Pace of Energy Technological Innovation: Why Market Conditions Matter?
CCSD	19.2014	Salvador Barrios and J. Nicolás Ibañez: Time is of the Essence: Adaptation of Tourism Demand to Climate Change in Europe
CCSD	20.2014	Salvador Barrios and J. Nicolás Ibañez Rivas: Climate Amenities and Adaptation to Climate Change: A Hedonic-Travel Cost Approach for Europe
ERM	21.2014	Andrea Bastianin, Marzio Galeotti and Matteo Manera: Forecasting the Oil-gasoline Price Relationship: Should We Care about the Rockets and the Feathers?
ES	22.2014	Marco Di Cintio and Emanuele Grassi: Wage Incentive Profiles in Dual Labor Markets
CCSD	23.2014	Luca Di Corato and Sebastian Hess: Farmland Investments in Africa: What's the Deal?
CCSD	24.2014	Olivier Beaumais, Anne Briand, Katrin Millock and Céline Nauges: What are Households Willing to Pay for Better Tap Water Quality? A Cross-Country Valuation Study
CCSD	25.2014	Gabriele Standardi, Federico Perali and Luca Pieroni: World Tariff Liberalization in Agriculture: An Assessment Following a Global CGE Trade Model for EU15 Regions
ERM	26.2014	Marie-Laure Nauleau: Free-Riding on Tax Credits for Home Insulation in France: an Econometric Assessment Using Panel Data

CCSD	27.2014	Hannah Förster, Katja Schumacher, Enrica De Cian, Michael Hübler, Ilkka Keppo, Silvana Mima and Ronald D. Sands: European Energy Efficiency and Decarbonization Strategies Beyond 2030 – A Sectoral Multi-model Decomposition
CCSD	28.2014	Katherine Calvin, Shonali Pachauri, Enrica De Cian and Ioanna Mouratiadou: The Effect of African Growth on Future Global Energy, Emissions, and Regional Development
CCSD	29.2014	Aleh Cherp, Jessica Jewell, Vadim Vinichenko, Nico Bauer and Enrica De Cian: Global Energy Security under Different Climate Policies, GDP Growth Rates and Fossil Resource Availabilities
CCSD	30.2014	Enrica De Cian, Ilkka Keppo, Johannes Bollen, Samuel Carrara, Hannah Förster, Michael Hübler, Amit Kanudia, Sergey Paltsev, Ronald Sands and Katja Schumacher: European-Led Climate Policy Versus Global Mitigation Action. Implications on Trade, Technology, and Energy
ERM	31.2014	Simone Tagliapietra: Iran after the (Potential) Nuclear Deal: What's Next for the Country's Natural Gas Market?
CCSD	32.2014	Mads Greker, Michael Hoel and Knut Einar Rosendahl: Does a Renewable Fuel Standard for Biofuels Reduce Climate Costs?
CCSD	33.2014	Edilio Valentini and Paolo Vitale: Optimal Climate Policy for a Pessimistic Social Planner
ES	34.2014	Cristina Cattaneo: Which Factors Explain the Rising Ethnic Heterogeneity in Italy? An Empirical Analysis at Province Level
CCSD	35.2014	Yasunori Ouchida and Daisaku Goto: Environmental Research Joint Ventures and Time-Consistent Emission Tax
CCSD	36.2014	Jaime de Melo and Mariana Vijil: Barriers to Trade in Environmental Goods and Environmental Services: How Important Are They? How Much Progress at Reducing Them?
CCSD	37.2014	Ryo Horii and Masako Ikefuji: Environment and Growth
CCSD	38.2014	Francesco Bosello, Lorenza Campagnolo, Fabio Eboli and Ramiro Parrado: Energy from Waste: Generation Potential and Mitigation Opportunity
ERM	39.2014	Lion Hirth, Falko Ueckerdt and Ottmar Edenhofer: Why Wind Is Not Coal: On the Economics of Electricity
CCSD	40.2014	Wei Jin and ZhongXiang Zhang: On the Mechanism of International Technology Diffusion for Energy Productivity Growth
CCSD	41.2014	Abeer El-Sayed and Santiago J. Rubio: Sharing R&D Investments in Cleaner Technologies to Mitigate Climate Change
CCSD	42.2014	Davide Antonioli, Simone Borghesi and Massimiliano Mazzanti: Are Regional Systems Greening the Economy? the Role of Environmental Innovations and Agglomeration Forces
ERM	43.2014	Donatella Baiardi, Matteo Manera and Mario Menegatti: The Effects of Environmental Risk on Consumption: an Empirical Analysis on the Mediterranean Countries
CCSD	44.2014	Elena Claire Ricci, Valentina Bosetti, Erin Baker and Karen E. Jenni: From Expert Elicitations to Integrated Assessment: Future Prospects of Carbon Capture Technologies
CCSD	45.2014	Kenan Huremovic: Rent Seeking and Power Hierarchies: A Noncooperative Model of Network Formation with Antagonistic Links
CCSD	46.2014	Matthew O. Jackson and Stephen Nei: Networks of Military Alliances, Wars, and International Trade
CCSD	47.2014	Péter Csóka and P. Jean-Jacques Herings: Risk Allocation under Liquidity Constraints
CCSD	48.2014	Ahmet Alkan and Alparslan Tuncay: Pairing Games and Markets
CCSD	49.2014	Sanjeev Goyal, Stephanie Rosenkranz, Utz Weitzel and Vincent Buskens: Individual Search and Social Networks
CCSD	50.2014	Manuel Förster, Ana Mauleon and Vincent J. Vannetelbosch: Trust and Manipulation in Social Networks
CCSD	51.2014	Berno Buechel, Tim Hellmann and Stefan Köllner: Opinion Dynamics and Wisdom under Conformity
CCSD	52.2014	Sofia Priazhkina and Frank Page: Formation of Bargaining Networks Via Link Sharing
ES	53.2014	Thomas Longden and Greg Kannard: Rugby League in Australia between 2001 and 2012: an Analysis of Home Advantage and Salary Cap Violations
ES	54.2014	Cristina Cattaneo, Carlo V. Fiorio and Giovanni Peri: What Happens to the Careers of European Workers when Immigrants "Take their Jobs"?
CCSD	55.2014	Francesca Sanna-Randaccio, Roberta Sestini and Ornella Tarola: Unilateral Climate Policy and Foreign Direct Investment with Firm and Country Heterogeneity
ES	56.2014	Cristina Cattaneo, Carlo V. Fiorio and Giovanni Peri: Immigration and Careers of European Workers: Effects and the Role of Policies
CCSD	57.2014	Carlos Dionisio Pérez Blanco and Carlos Mario Gómez Gómez: Measuring Gender Differences in Information Sharing Using Network Analysis: the Case of the Austrian Interlocking Directorship Network in 2009
CCSD	58.2014	Baptiste Perrissin Fabert, Etienne Espagne, Antonin Pottier and Patrice Dumas: The Comparative Impact of Integrated Assessment Models' Structures on Optimal Mitigation Policies
CCSD	59.2014	Stuart McDonald and Joanna Poyago-Theotoky: Green Technology and Optimal Emissions Taxation
CCSD	60.2014	ZhongXiang Zhang: Programs, Prices and Policies Towards Energy Conservation and Environmental Quality in China
CCSD	61.2014	Carlo Drago, Livia Amidani Aliberti and Davide Carbonai: Measuring Gender Differences in Information Sharing Using Network Analysis: the Case of the Austrian Interlocking Directorship Network in 2009
CCSD	62.2014	Carlos Dionisio Pérez Blanco and Carlos Mario Gómez Gómez: An Integrated Risk Assessment Model for the Implementation of Drought Insurance Markets in Spain